

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35049249830001

Completion Report

Spud Date: July 07, 2014

OTC Prod. Unit No.: 049-214874

Drilling Finished Date: September 01, 2014

1st Prod Date: November 05, 2014

Completion Date: October 01, 2014

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: COVEL 1H-28X

Purchaser/Measurer: NEWFIELD

Location: GARVIN 21 2N 3W
SW NW SW SW
700 FSL 300 FWL of 1/4 SEC
Latitude: 34.62512 Longitude: -97.52689
Derrick Elevation: 1037 Ground Elevation: 1007

First Sales Date: 11/12/2014

Operator: NEWFIELD EXPLORATION MID-CON INC 20944

1 WILLIAMS CTR STE 1900
TULSA, OK 74172-0162

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
	619566
	620358

Increased Density	
Order No	
	620538

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	48	H-40	1497	500	725	SURFACE
INTERMEDIATE	9 5/8	40	L-80	5414	1550	650	4414
PRODUCTION	5 1/2	23	P-110	22174	4500	3205	8351

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 22179

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 27, 2014	WOODFORD	649.5	43.6	1942	2990	1880	FLOWING	1400	64	305

Completion and Test Data by Producing Formation										
Formation Name: WOODFORD			Code: 319WDFD			Class: OIL				
Spacing Orders				Perforated Intervals						
Order No	Unit Size			From			To			
618758	640			11833			22031			
620357	MULTIUNIT									
Acid Volumes				Fracture Treatments						
125,958 GALLONS				8,298,380# PROPPANT						

Formation	Top
MISSISSIPPIAN	11051
SYCAMORE	11280
WOODFORD	11431

Were open hole logs run? Yes
Date last log run: July 23, 2014

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes
Sec: 33 TWP: 2N RGE: 3W County: GARVIN
SE SW SW SW
51 FSL 493 FWL of 1/4 SEC
Depth of Deviation: 11289 Radius of Turn: 778 Direction: 180 Total Length: 10399
Measured Total Depth: 22179 True Vertical Depth: 11872 End Pt. Location From Release, Unit or Property Line: 51

FOR COMMISSION USE ONLY
Status: Accepted
1126929


Well Location Plat

M & M Land Surveying, Inc.

520 "E" Street NW. Ardmore, OK. 73401
Office 580-226-0446 Mobile 580-221-4999 Fax 580-226-7158

Company Name: Newfield Exploration Mid-Continent, Inc. Lease Name: Covel #1H-28X
Section 21 Township 2 North Range 3 West County Garvin Oklahoma

Surface Location 700' FSL - 300' FWL Elevation 1007' Good Location? Yes Topography Location fell in a pasture.



Scale: 1" = 1000'
Invoice #13213
Date 8/23/2013
Elevations of Proposed Pad Corners
NW/C - 1009'
NE/C - 1013'
SE/C - 998'
SW/C - 994'
Coordinates were derived from GPS RTK methods and are only accurate within ±10 feet
Location GPS NAD 27
Oklahoma South
Surface Location
Latitude: 34.62504°
Longitude: 97.52659°
Y= 470,401'
X = 2,142,426'
Location NAD 83
Surface Location
Latitude: 34.62512°
Longitude: 97.52689°

Best Accessibility to Location
From the South

Distance & Direction From From the Jct. of SH. #29 & SH. #76 South, go 0.2 miles West on SH. #29, then 0.8 miles West on County Road to the Southwest Corner of Section 21.
Highway or Town _____

CERTIFICATE:

I, D. Harry McClintick, a Registered Land Surveyor in the state of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown.

D. Harry McClintick 8/30/13
D. Harry McClintick, R.P.L.S. # 1367, CA # 3093

This location has been staked according to the best official survey records available to us, but its accuracy is not guaranteed. Please review this plat and notify us immediately of any discrepancy.

The distances shown in parenthesis () are calculated distances based on the quarter section being 2640' and have not been measured.

