

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35043234580000

**Completion Report**

Spud Date: June 02, 2016

OTC Prod. Unit No.: 043217641000000

Drilling Finished Date: July 09, 2016

1st Prod Date: July 23, 2016

Completion Date: July 23, 2016

**Drill Type: HORIZONTAL HOLE**

Min Gas Allowable: Yes

Well Name: FARISS 4-36H

Purchaser/Measurer: MARKWEST

Location: DEWEY 36 17N 20W  
N2 NE NW NE  
250 FNL 1650 FEL of 1/4 SEC  
Derrick Elevation: 1852 Ground Elevation: 1834

First Sales Date: 7/23/16

Operator: JMA ENERGY COMPANY LLC 20475

1021 NW GRAND BLVD  
OKLAHOMA CITY, OK 73118-6039

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
	632718
	646949

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9 5/8	36	J55	1564		770	SURFACE
INTERMEDIATE	7	26	N-80	8639		300	2665
PRODUCTION	4 1/2	13.5	P110	13256		515	7135

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 13256**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 23, 2016	CLEVELAND	571		2347	4110	2134	FLOWING	1700	28/64	

Completion and Test Data by Producing Formation										
Formation Name: CLEVELAND			Code: 405CLVD			Class: OIL				
<b>Spacing Orders</b>				<b>Perforated Intervals</b>						
<b>Order No</b>		<b>Unit Size</b>		<b>From</b>			<b>To</b>			
96193		640		9500			13250			
<b>Acid Volumes</b>				<b>Fracture Treatments</b>						
There are no Acid Volume records to display.				4,700,091 TOTAL PROP						

Formation	Top
TONKAWA	7846
COTTAGE GROVE	8394
HOGSHOOTER	8797
CLEVELAND (B. CHKBD)	9212

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes
Sec: 36 TWP: 17N RGE: 20W County: DEWEY
SW NW SE SE
829 FSL 1129 FEL of 1/4 SEC
Depth of Deviation: 8700 Radius of Turn: 1000 Direction: 180 Total Length: 3556
Measured Total Depth: 13256 True Vertical Depth: 9250 End Pt. Location From Release, Unit or Property Line: 829

FOR COMMISSION USE ONLY
Status: Accepted
1134150

