

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35119244010000

Completion Report

Spud Date: April 27, 2016

OTC Prod. Unit No.: 119-217756-0-0000

Drilling Finished Date: May 05, 2016

1st Prod Date: October 10, 2016

Completion Date: October 10, 2016

Drill Type: HORIZONTAL HOLE

Well Name: BOOMER 3-10-18N-2E 1WH

Purchaser/Measurer:

Location: PAYNE 34 19N 2E
 NE SE SE SE
 617 FSL 200 FEL of 1/4 SEC
 Derrick Elevation: 997 Ground Elevation: 974

First Sales Date:

Operator: WHITE STAR PETROLEUM LLC 23358
 PO BOX 13360
 301 NW 63RD ST STE 600
 OKLAHOMA CITY, OK 73113-1360

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
651121	

Increased Density	
Order No	
650173	
650174	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9-5/8"	36#	J-55	510		200	SURFACE
PRODUCTION	5-1/2"	20#	HCP-110	15155		1630	3680

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 15155

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
14949	FRAC PLUG

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Oct 19, 2016	WOODFORD	400		588	1470	1257	PUMPING			

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

Spacing Orders

Order No	Unit Size
649899	640
649900	640
650248	MULTIUNIT

Perforated Intervals

From	To
5123	14929

Acid Volumes

3750 BLS ACID

Fracture Treatments

161,976BLS WATER
4,979,686LBS SAND

Formation	Top
WOODFORD	4587

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes

Sec: 10 TWP: 18N RGE: 2E County: PAYNE

SE SW SE SE

191 FSL 894 FEL of 1/4 SEC

Depth of Deviation: 3855 Radius of Turn: 1345 Direction: 178 Total Length: 9955

Measured Total Depth: 15155 True Vertical Depth: 4647 End Pt. Location From Release, Unit or Property Line: 191

FOR COMMISSION USE ONLY

1134776

Status: Accepted