

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 011 24026

Approval Date: 06/11/2018

Expiration Date: 12/11/2018

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 10 Twp: 16N Rge: 10W

County: BLAINE

SPOT LOCATION: NW SE SE SE

FEET FROM QUARTER: FROM SOUTH FROM EAST

SECTION LINES: 341 480

Lease Name: QUINTLE

Well No: 5-10-3XHM

Well will be 341 feet from nearest unit or lease boundary.

Operator Name: CONTINENTAL RESOURCES INC

Telephone: 4052349020; 4052349

OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC
PO BOX 269000
OKLAHOMA CITY, OK 73126-9000

GARY M. QUINTLE
24201 NORTH 2720 ROAD
KINGFISHER OK 73750

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1	MISSISSIPPIAN	9531	6
2			7
3			8
4			9
5			10

Spacing Orders: 639444
644711

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201804076
201804077
201804084
201804086

Special Orders:

Total Depth: 19620

Ground Elevation: 1235

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 40

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-34678

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

HORIZONTAL HOLE 1

Sec 03 Twp 16N Rge 10W County BLAINE

Spot Location of End Point: NW NW NE NE

Feet From: NORTH 1/4 Section Line: 50

Feet From: EAST 1/4 Section Line: 1254

Depth of Deviation: 9179

Radius of Turn: 477

Direction: 355

Total Length: 9692

Measured Total Depth: 19620

True Vertical Depth: 9531

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category

Description

DEEP SURFACE CASING

6/1/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

6/1/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING

6/1/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES

MEMO

6/1/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 - OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
PENDING CD - 201804076	6/5/2018 - G75 - 3-16N-10W X639444 MSSP 5 WELLS CONTINENTAL RESOURCES, INC. REC 6-11-2018 (P. PORTER)
PENDING CD - 201804077	6/5/2018 - G75 - 10-16N-10W X644711 MSSP 5 WELLS CONTINENTAL RESOURCES, INC. REC 6-11-2018 (P. PORTER)
PENDING CD - 201804084	6/5/2018 - G75 - (I.O.) 10 & 3-16N-10W EST MULTIUNIT HORIZONTAL WELL X644711 MSSP 10-16N-10W X639444 MSSP 3-16N-10W 50% 10-16N-10W 50% 3-16N-10W CONTINENTAL RESOURCES, INC. REC 6-11-2018 (P. PORTER)
PENDING CD - 201804086	6/5/2018 - G75 - (I.O.) 10 & 3-16N-10W X644711 MSSP 10-16N-10W X639444 MSSP 3-16N-10W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS COMPL. INT. (10-16N-10W) NCT 150' FSL, NCT 0' FNL, NCT 660' FEL COMPL. INT. (3-16N-10W) NCT 0' FSL, NCT 150' FNL, NCT 660' FEL CONTINENTAL RESOURCES, INC. REC 6-11-2018 (P. PORTER)
SPACING - 639444	6/5/2018 - G75 - (640)(HOR) 3-16N-10W VAC 260856 MCSTR S2, NW4 VAC 168134/169097 MSSSD S2, NW4 VAC OTHER EST MSSP, OTHERS POE TO BHL NCT 660' FB (COEXIST SP. ORDER # 168134/169097 MSSSD NE4 & ORDER # 260856 MCSTR NE4)
SPACING - 644711	6/5/2018 - G75 - (640) 10-16N-10W VAC 426226 MCSTR S2, NE4 VAC 168134/169097 MSSSD, OTHER S2, NE4 EST (HOR) OTHER EST (VER) OTHERS EXT (HOR) 639444 MSSP, OTHERS COMPL. INT. NCT 660' FB (COEXIT SP. ORDER # 168134/169097 MSSSD NW4 & ORDER # 426226 MCSTR NW4)

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.

EXHIBIT: A (3 of 4)
 SHEET: 8.5x14
 SHL: 10-16N-10W
 BHL-5: 03-16N-10W

PETRO LAND SERVICES SOUTH, LLC

10400 VINEYARD BLVD, SUITE C, OKLA. CITY, OKLA. 73120 * OFFICE (405) 212-3108
 Certificate of Authorization No. 7318



CONTINENTAL
 RESOURCES, INC
 (OPERATOR)



BLAINE

County Oklahoma

341' FSL-480' FEL Section 10 Township 16N Range 10W I.M.

API 011-24026

WELL: QUINTLE 5-10-3XHM



GPS DATUM
 NAD-83
 NAD-27
 OK NORTH ZONE
 US FEET
 SCALE:
 1" = 1250'

Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact PLS promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

Date Staked: 05-04-18
 Date Drawn: 05-04-18

CURRENT REV.: 0



Randall J. Bilyeu

CERTIFICATE:
 I, **RANDALL J. BILYEU** an Oklahoma Licensed Land Surveyor and an authorized agent of Petro Land Services South, LLC, do hereby certify to the information shown herein.

Oklahoma PLS No.1196 DATE

EXHIBIT: A (2 of 4)
 SHEET: 8.5x11
 SHL: 10-16N-10W
 BHL-5: 03-16N-10W
 BHL-6: 03-16N-10W



API 011-24026

COVER SHEET CONTINUED...

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 10 Township 16N Range 10W I.M. Well: QUINTLE 5-10-3XHM
 County BLAINE State OK Well: QUINTLE 6-10-3XHM
 Operator CONTINENTAL RESOURCES, INC.

NAD-27

POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
W5	QUINTLE 5-10-3XHM	317145	1927741	35° 52' 15.64" -98° 14' 37.97"	35.871012 -98.243880	341' FSL / 480' FEL (SE/4 SEC 10)	1234.65	1234.95
LP-5	LANDING POINT	317146	1926967	35° 52' 15.63" -98° 14' 47.38"	35.871009 -98.246493	341' FSL / 1254' FEL (SE/4 SEC 10)	--	--
BHL-5	BOTTOM HOLE LOCATION	327149	1926972	35° 53' 54.56" -98° 14' 47.63"	35.898488 -98.246564	50' FNL / 1254' FEL (NE/4 SEC 3)	--	--
W6	QUINTLE 6-10-3XHM	317145	1927771	35° 52' 15.64" -98° 14' 37.61"	35.871012 -98.243779	341' FSL / 450' FEL (SE/4 SEC 10)	1234.17	1234.95
LP-6	LANDING POINT	317145	1927891	35° 52' 15.64" -98° 14' 36.15"	35.871011 -98.243375	341' FSL / 330' FEL (SE/4 SEC 10)	--	--
BHL-6	BOTTOM HOLE LOCATION	327144	1927896	35° 53' 54.53" -98° 14' 36.40"	35.898480 -98.243444	50' FNL / 330' FEL (NE/4 SEC 3)	--	--
X-1	HAFFNER PALMER #1	326706	1927564	35° 53' 50.19" -98° 14' 40.41"	35.897276 -98.244559	03-16N-10W:NE4NE4 TD: 10,067' 1,980' FSL / 1,980' FWL	--	--
X-2	IRVEN JOHN 1710 3-34-27MXH	326968	1926473	35° 53' 52.75" -98° 14' 53.69"	35.897986 -98.248247	03-16N-10W:NW4NE4NW4NE4 TD: 20,082' 234' FNL / 1,753' FEL	--	--
X-3	IRVEN JOHN 1710 4-34-27MXH	326967	1926493	35° 53' 52.75" -98° 14' 53.45"	35.897986 -98.248180	03-16N-10W:NW4NE4NW4NE4 TD: 20,064' 234' FNL / 1,733' FEL	--	--
X-4	IRVEN JOHN 1710 2-34-27MXH	326976	1924179	35° 53' 52.78" -98° 15' 21.57"	35.897994 -98.255992	03-16N-10W:NE4NE4NW4NW4 TD: 20,093' 238' FNL / 1,236' FWL	--	--
X-5	OTTO STRACK #1-10	320995	1923940	35° 52' 53.62" -98° 15' 24.28"	35.881561 -98.256745	10-16N-10W:SE4NW4NW4 TD: 11,080' 1,550' FSL / 990' FWL	--	--
X-6	QUINTLE #1-10-3XH	317082	1923272	35° 52' 14.90" -98° 15' 32.27"	35.870806 -98.258964	10-16N-10W:SW4SW4SW4SW4 TD: 19,671' 270' FSL / 320' FWL	--	--
X-7	QUINTLE #1R-10-3XH	317082	1923302	35° 52' 14.90" -98° 15' 31.91"	35.870806 -98.258863	10-16N-10W:SE4SW4SW4SW4 TD: 19,671' 270' FSL / 350' FWL	--	--

Certificate of Authorization No. 7318

Date Staked: 05-04-18
 Date Drawn: 05-04-18



Prepared By:
 Petro Land Services South
 10400 Vineyard Blvd.
 Suite C
 Oklahoma City, OK 73120