PI NUMBER: 029 21376 rizontal Hole Oil & Gas WELL LOCATION: Sec: 30 Twp: 2N Rge: SPOT LOCATION: SW NW SE NW Lease Name: SANDERS	OIL & GAS	NORTH FROM V	DN DIVISION 0 3152-2000 1)	Approval Date: 06/12/2018 Expiration Date: 12/12/2018
Operator BRAVO ARKOMA LLC Name:		Telephone: 9188	944440; 9188944	OTC/OCC Number: 23562 0
BRAVO ARKOMA LLC 1323 E 71ST ST STE 400 TULSA, OK	74136-5067		DAVID AND LYNDS/ 37942 COUNTY RO/ COALGATE	
Formation(s) (Permit Valid for Listed F Name 1 MISSISSIPPIAN 2 WOODFORD 3 HUNTON 4 5	Formations Only): Depth 7270 7518 7678	6 7 8 9 10	Name	Depth
Spacing Orders: No Spacing	Location Exception	Orders:		Increased Density Orders:
Pending CD Numbers: 201803314 201803321 201803322 201803323 201803324 201803325 Total Depth: 19444 Ground Elevation:	737 Surface 4	Casing: 1000		Special Orders: th to base of Treatable Water-Bearing FM: 370
rotal Depth. 19444 Ground Elevation.	Surface (	Casing: 1000	Debr	In to base of freatable water-bearing FWI. 570
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR	Fresh Water		No oved Method for disposal of Dril vaporation/dewater and backfill	
Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area Category of Pit: 4 Liner not required for Category: 4 Pit Location is NON HSA Pit Location Formation: BOGGY				facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: BOGGY

#### PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C Pit Location is NON HSA Pit Location Formation: BOGGY

#### HORIZONTAL HOLE 1

Sec 06 Twp 1N Rge 10E County COAL Spot Location of End Point: SW NE NE SW Feet From: SOUTH 1/4 Section Line: 2080 Feet From: WEST 1/4 Section Line: 2200 Depth of Deviation: 7191 Radius of Turn: 477 Direction: 175 Total Length: 11504 Measured Total Depth: 19444 True Vertical Depth: 7678 End Point Location from Lease, Unit, or Property Line: 2080

Notes: Category


### DEEP SURFACE CASING


#### Description

5/29/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
HYDRAULIC FRACTURING	5/29/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
MEMO	5/30/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL APPROVED BY OCC; PIT 3 - OBM TO VENDOR
PENDING CD - 201803314	5/31/2018 - G58 - (640)(HOR) 6-1N-10E, 30 & 31-2N-10E EXT 662358 MSSP, WDFD, HNTN COMPL. INT. (MSSP, HNTN) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST SP. ORDERS: 465585 HNTN; 463377 HNTN; 561632 HNTN; 494225 WDFD, CNEY; 503053 WDFD, CNEY; 528393 WDFD, CNEY) REC 5/14/2018 (DUNN)
PENDING CD - 201803321	5/31/2018 - G58 - (I.O.) 6-1N-10E, 30 & 31-2N-10E EST MULTIUNIT HORIZONTAL WELL X201803314 MSSP, WDFD, HNTN (6-1N-10E, 30 & 31-2N-10E) (MSSP & HNTN ARE ADJACENT COMMON SOURCE OF SUPPLY TO WDFD) 39% 6-1N-10E 20% 30-2N-10E 41% 31-2N-10E NO OP. NAMED REC 5/14/2018 (DUNN)
PENDING CD - 201803322	5/31/2018 - G58 - (I.O.) 6-1N-10E, 30 & 31-2N-10E X201803314 MSSP, WDFD, HNTN (6-1N-10E, 30 & 31-2N-10E) COMPL. INT. (30-2N-10E) NCT 0' FSL, NCT 1320' FNL, NCT 1650' FWL COMPL. INT. (31-2N-10E) NCT 0' FSL, NCT 0' FNL, NCT 1650' FWL COMPL. INT. (6-1N-10E) NCT 0' FNL, NCT 165' FSL, NCT 1650' FWL NO OP. NAMED REC 5/14/2018 (DUNN)
PENDING CD - 201803323	5/31/2018 - G58 - 6-1N-10E X201803314 MSSP, WDFD, HNTN 2 WELLS NO OP. NAMED REC 5/14/2018 (DUNN)
PENDING CD - 201803324	5/31/2018 - G58 - 30-2N-10E X201803314 MSSP, WDFD, HNTN 2 WELLS NO OP. NAMED REC 5/14/2018 (DUNN)
PENDING CD - 201803325	5/31/2018 - G58 - 31-2N-10E X201803314 MSSP, WDFD, HNTN 2 WELLS NO OP. NAMED REC 5/14/2018 (DUNN)







S.H.L. Sec. 30-2N-10E I.M. B.H.L. Sec. 6-1N-10E I.M.

Operator: BRAVO NATURAL RESOURCES, LLC Lease Name and No.: SANDERS 3-30/31/6H Footage: 1850' FNL - 1630' FWL Gr. Elevation: 737' Landing Point: 3020' FSL - 2200' FWL Sec. 30 Twp. 2N Rng. 10E I.M. Bottom Hole Location: 2080' FSL - 2200' FWL Sec. 6 Twp. 1N Rng. 10E I.M. County: Coal State of Oklahoma

## SECTION 30-2N-10E

1. STONERIDGE OIL INC.	2. SUNDOWN ENERGY LP	3. SUNDOWN ENERGY LP
DOWNARD 1-30	SYDNEY GAYLOR 1-30	NICK AND MACI GAYLOR 2-30
1421' FSL - 1827' FWL (SW/4)	747' FSL - 1595' FWL (SE/4)	1320' FNL - 1500' FEL (NE/4)
OCC STATUS: PA	OCC STATUS: AC	OCC STATUS: AC

## SECTION 31-2N-10E

4. BRAVO ARKOMA LLC	5. OTC/OCC NOT ASSIGNED	6. DERRICK RESOURCES INC.
TERRANOVA HEIRS 1-31	MADDRELL DOWNARD 1-31	DOWNARD UNIT "J" 1
1050' FSL - 450' FWL (SW/4)	CSE/4-NW/4	660' FSL - 1980' FWL (NE/4)
OCC STATUS: AC	OCC STATUS: PA	OCC STATUS: PA
7. BRAVO ARKOMA LLC	8. BRAVO ARKOMA LLC	9. IDEAL CEMENT COMPANY
SHORES 1-31	SUMMER 3-31	DOWNARD 4
660' FSL - 1440' FWL (SE/4)	698' FSL - 2536' FWL (SW/4)	1980' FNL - 660' FWL (NE/4)
OCC STATUS: AC	OCC STATUS: AC	OCC STATUS: PA
10. SM ENERGY COMPANY	11. SM ENERGY COMPANY	12. TENNECO OIL COMPANY
W.R. DOWNARD, JR. UNIT 1	VAULATTO 1	MADDRELL DOWNWARD-A 1
1650' FSL - 990' FWL (SE/4)	1061' FSL - 1031' FWL (SW/4)	W/2-NE/4
OCC STATUS: PA	OCC STATUS: PA	OCC STATUS: PA


## SECTION 6-1N-10E

13. BRAVO ARKOMA LLC	14. JOSHUA ENERGY LLC	15. JOSHUA ENERGY LLC
ERNEST HOFMANN 1	DEMPSEY 1	DEMPSEY 2
660' FSL - 1030' FWL (SE/4)	1923' FSL - 692' FWL (NW/4)	890' FSL - 330' FWL (NW/4)
OCC STATUS: AC	OCC STATUS: AC	OCC STATUS: AC
16. BRAVO ARKOMA LLC	17. BRAVO ARKOMA LLC	18. JOSHUA ENERGY LLC
WATSON 1-6	KASHWER 1-6	DEMPSEY 1-A
2493' FSL - 957' FWL (SW/4)	1456' FSL - 1318' FWL (NE/4)	1650' FSL - 745' FWL (NW/4)
OCC STATUS: AC	OCC STATUS: AC	OCC STATUS: AC
19. BRAVO ARKOMA LLC	20. BRAVO ARKOMA LLC	21. BRAVO ARKOMA LLC
JOSH K. 4-6	JASON K. 3-6	MARY V. 2-6
1020' FSL - 2140' FWL (NE/4)	1143' FSL - 604' FWL (NE/4)	1520' FSL - 1780' FWL (NW/4)
OCC STATUS: AC	OCC STATUS: AC	OCC STATUS: AC
22. BRAVO ARKOMA LLC	23. TENNECO OIL COMPANY	24. ST MARY OPERATING COMPANY
JOHNNY 3-6	W E DOWNARD 1	W. R. DOWNARD (#2) 2B-6
700' FSL - 1220' FWL (SW/4)	CSW/4-NE/4-NW/4	1650' FSL - 990' FWL (NE/4)
OCC STATUS: AC	OCC STATUS: PA	OCC STATUS: PA
25. TENNECO OIL COMPANY <i>C W JOHNSTON 1</i> 660' FSL - 610' FWL (SW/4) OCC STATUS: PA	26. BRAVO ARKOMA LLC C. W. JOHNSTON 1-6 380' FSL - 1650' FWL (SW/4) OCC STATUS: AC	

Survey and plat by:

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348 Expires June 30, 2018


Invoice #7700-A-C Date Staked: 03/12/18 By: D.A. Date Drawn: 03/13/18 By: C.K. Add LP & BHL: 05/16/18 By: J.D. \*PLEASE NOTE\* EXISTING WELL DATA SHOWN HEREON WAS FURNISHED FROM THE OCC WEBSITE AND WAS NOT SURVEYED OR VERIFIED ON THE GROUND EXISTING WELLS WERE LOCATED & SURVEYED ON THE GROUND



# **EXAMPLE TOPOGRAPHIC VICINITY MAP**

Operator: BRAVO NATURAL RESOURCES, LLC Lease Name and No.: SANDERS 3-30/31/6H Surface Hole Location: 1850' FNL - 1630' FWL Landing Point: 3020' FSL - 2200' FWL Sec. 30 Twp. 2N Rng. 10E I.M. Bottom Hole Location: 2080' FSL - 2200' FWL Sec. 6 Twp. 1N Rng. 10E I.M. County: Coal State of Oklahoma Ground Elevation at Surface Hole Location: 737'

-No Scale-Contour Interval: 10'



Provided by:

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348 Expires June 30, 2018

Date Staked: 03/12/18

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

