

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35011241880000

**Completion Report**

Spud Date: May 16, 2019

OTC Prod. Unit No.: 01122599300000

Drilling Finished Date: June 09, 2019

1st Prod Date: September 05, 2019

Completion Date: September 05, 2019

**Drill Type: HORIZONTAL HOLE**

Min Gas Allowable: Yes

Well Name: PICKAROON 11\_2-15N-10W 4HX

Purchaser/Measurer: ENLINK

Location: BLAINE 11 15N 10W  
SW SW SE SW  
320 FSL 1600 FWL of 1/4 SEC  
Latitude: 35.78410457 Longitude: -98.23697956  
Derrick Elevation: 1335 Ground Elevation: 1312

First Sales Date: 09/05/2019

Operator: DEVON ENERGY PRODUCTION CO LP 20751

333 W SHERIDAN AVE  
OKLAHOMA CITY, OK 73102-5015

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
705838	

Increased Density	
Order No	
693415	
703910	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	106.5	K-55	65			0
SURFACE	13 3/8	54.5	J-55	1033		750	SURFACE
INTERMEDIATE	8 5/8	32	P-110EC	8623		335	6291
PRODUCTION	5 1/2	20	P-110EC	20000		1850	6250

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 20007**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
19797	ALUMINUM

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Oct 12, 2019	MISSISSIPPI SOLID/ MISSISSIPPIAN	797	49	2217	2781	720	FLOWING	1272	26/64	1190

**Completion and Test Data by Producing Formation**

Formation Name: MISSISSIPPI SOLID

Code: 351MSSSD

Class: OIL

**Spacing Orders**

Order No	Unit Size
176175	640
706069	MULTIUNIT

**Perforated Intervals**

From	To
10526	15249

**Acid Volumes**

NONE

**Fracture Treatments**

311937 BBLs OF TOTAL FLUID  
27030212 # OF TOTAL PROPPANT

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

**Spacing Orders**

Order No	Unit Size
589546	640
706069	MULTIUNIT

**Perforated Intervals**

From	To
15249	19782

**Acid Volumes**

There are no Acid Volume records to display.

**Fracture Treatments**

FRAC'D WITH MISSISSIPPI SOLID FORMATION

Formation Name: MISSISSIPPI SOLID/  
MISSISSIPPIAN

Code:

Class: OIL

Formation	Top
MISSISSIPPIAN	9291
MISSISSIPPI SOLID	10106

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

IRREGULAR SECTION

**Lateral Holes**

Sec: 2 TWP: 15N RGE: 10W County: BLAINE

SE NW NW NE

440 FNL 1999 FEL of 1/4 SEC

Depth of Deviation: 9907 Radius of Turn: 542 Direction: 3 Total Length: 9248

Measured Total Depth: 20007 True Vertical Depth: 9969 End Pt. Location From Release, Unit or Property Line: 440

**FOR COMMISSION USE ONLY**

1144003

Status: Accepted