

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35017254810000

Completion Report

Spud Date: July 04, 2019

OTC Prod. Unit No.: 017-226714-0-0000

Drilling Finished Date: August 02, 2019

1st Prod Date: March 11, 2020

Completion Date: February 15, 2020

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: BATTLESHIP 1-12-10-7 1MXH

Purchaser/Measurer: ENLINK

Location: CANADIAN 36 11N 7W
 SE SW SW SE
 260 FSL 2200 FEL of 1/4 SEC
 Latitude: 35.377885 Longitude: -97.891066
 Derrick Elevation: 1299 Ground Elevation: 1273

First Sales Date: 03/11/2020

Operator: CITIZEN ENERGY III LLC 24120

320 S BOSTON AVE STE 900
 TULSA, OK 74103-3729

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
701252	

Increased Density	
Order No	
698404	
698405	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16	55		60			SURFACE
SURFACE	9.625	40	J-55	505		250	SURFACE
PRODUCTION	5.5	20	P-110	20964		2380	1192

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21012

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Mar 21, 2020	MISSISSIPPI LIME / MISSISSIPPIAN	312	52.2	2436	7807	1165	FLOWING		28	1592

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
107705	640
701251	MULTIUNIT

Perforated Intervals

From	To
10851	15975

Acid Volumes

25,500 GALLONS

Fracture Treatments

20,163,526 POUNDS OF PROPPANT; 447,022 BBLS FRAC FLUID

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
648165	640
701251	MULTIUNIT

Perforated Intervals

From	To
15975	20904

Acid Volumes

ACIDIZED WITH MISSISSIPPI LIME

Fracture Treatments

FRAC'D WITH MISSISSIPPI LIME

Formation Name: MISSISSIPPI LIME / MISSISSIPPIAN

Code:

Class: OIL

Formation	Top
MISSISSIPPIAN TVD	10303
MISSISSIPPIAN MD	10494

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THE ORDER 701694 IS AN INTERIM ORDER FOR EXCEPTION TO THE RULE 165:10-3-28(C)(2)(B).

Lateral Holes

Sec: 12 TWP: 10N RGE: 7W County: CANADIAN

SW SE SE SW

66 FSL 2236 FWL of 1/4 SEC

Depth of Deviation: 10166 Radius of Turn: 459 Direction: 178 Total Length: 10524

Measured Total Depth: 21012 True Vertical Depth: 10538 End Pt. Location From Release, Unit or Property Line: 66

FOR COMMISSION USE ONLY

1145036

Status: Accepted