

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35073266770003

**Completion Report**

Spud Date: February 21, 2020

OTC Prod. Unit No.: 073-226942-0-0000

Drilling Finished Date: March 10, 2020

1st Prod Date: October 19, 2020

Completion Date: October 19, 2020

**Drill Type: HORIZONTAL HOLE**

Min Gas Allowable: Yes

Well Name: CE FREDERICK 1508 5H-22X

Purchaser/Measurer: MARKWEST WESTERN  
OKLA GAS

Location: KINGFISHER 15 15N 8W  
SE SE SW SE  
295 FSL 1585 FEL of 1/4 SEC  
Latitude: 35.769665 Longitude: -98.035418  
Derrick Elevation: 1171 Ground Elevation: 1143

First Sales Date: 10/19/20

Operator: OVINTIV MID-CONTINENT INC. 20944

4 WATERWAY AVE STE 100  
THE WOODLANDS, TX 77380-2764

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
716198	

Increased Density	
Order No	
692371	
693693	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.5	J-55	1467		710	SURFACE
PRODUCTION	5 1/2	20	P-110 EC	19641		1990	239

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 19679**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 10, 2020	MISSISSIPPIAN / MISSISSIPPI SOLID	1244	43.8	2967	2385	2624	FLOWING	2945	58	2240

**Completion and Test Data by Producing Formation**

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

**Spacing Orders**

Order No	Unit Size
666281	640
716197	MULTIUNIT

**Perforated Intervals**

From	To
9379	14482

**Acid Volumes**

24 BBLS 15% HCL

**Fracture Treatments**

476,945 BBLS TOTAL VOLUME  
20,274,207 LBS TOTAL PROPPANT

Formation Name: MISSISSIPPI SOLID

Code: 351MSSSD

Class: OIL

**Spacing Orders**

Order No	Unit Size
76186	640
716197	MULTIUNIT

**Perforated Intervals**

From	To
14482	19513

**Acid Volumes**

ACIDIZED WITH MISSISSIPPIAN

**Fracture Treatments**

FRAC'D WITH MISSISSIPPIAN

Formation Name: MISSISSIPPIAN / MISSISSIPPI SOLID

Code:

Class: OIL

Formation	Top
MISSISSIPPIAN MD	8810
MISSISSIPPIAN TVD	8798

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

OCC - CD 201810558 EXCEPTION TO THE RULE 165:10-3-28 WAS DISMISSED BY ORDER 716147.

**Lateral Holes**

Sec: 27 TWP: 15N RGE: 8W County: KINGFISHER

SE SE SW SE

87 FSL 1544 FEL of 1/4 SEC

Depth of Deviation: 8668 Radius of Turn: 468 Direction: 184 Total Length: 10543

Measured Total Depth: 19679 True Vertical Depth: 9289 End Pt. Location From Release, Unit or Property Line: 87

**FOR COMMISSION USE ONLY**

1145863

Status: Accepted