

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35039225930001

Completion Report

Spud Date: March 25, 2021

OTC Prod. Unit No.: 039-227301-0-0000

Drilling Finished Date: May 14, 2021

1st Prod Date: July 12, 2021

Completion Date: July 08, 2021

Drill Type: HORIZONTAL HOLE

Well Name: SWARTZENDRUBER 3R-27-22XHM

Purchaser/Measurer: ENABLE MIDSTREAM

Location: CUSTER 34 14N 14W
 SE NW NE NE
 335 FNL 935 FEL of 1/4 SEC
 Latitude: 35.652078 Longitude: -98.670661
 Derrick Elevation: 1742 Ground Elevation: 1712

First Sales Date: 7/12/2021

Operator: CONTINENTAL RESOURCES INC 3186
 PO BOX 268870
 20 N BROADWAY AVE
 OKLAHOMA CITY, OK 73126-8870

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
720422	

Increased Density	
Order No	
717305	
720380	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1516		681	SURFACE
INTERMEDIATE	9.63	40	P-110	11380		1288	3044
PRODUCTION	5 1/2	23	P-110	24842		3416	14466

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 24922

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 21, 2021	MISSISSIPPIAN			29631	29631	3058	FLOWING	9000	36	6417

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: GAS

Spacing Orders

Order No	Unit Size
99558	640
720424	MULTIUNIT

Perforated Intervals

From	To
14610	19689
19720	24771

Acid Volumes

144 BARRELS 12% HCl & 3%HF

Fracture Treatments

537,909 BARRELS FLUID & 13,061,921 POUNDS OF SAND
--

Formation	Top
MISSISSIPPIAN MD	14610
MISSISSIPPIAN TVD	14387

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

There are no Other Remarks.

Lateral Holes

Sec: 22 TWP: 14N RGE: 14W County: CUSTER

NW NE NW NE

81 FNL 1743 FEL of 1/4 SEC

Depth of Deviation: 14049 Radius of Turn: 648 Direction: 360 Total Length: 10312

Measured Total Depth: 24922 True Vertical Depth: 14023 End Pt. Location From Release, Unit or Property Line: 81

FOR COMMISSION USE ONLY

1146731

Status: Accepted

7/12/21

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A
1002A
Addendum

API No.: 35039225930001

Completion Report

Spud Date: March 25, 2021

OTC Prod. Unit No.: 039-227301-0-0000

Drilling Finished Date: May 14, 2021

1st Prod Date: July 12, 2021

Completion Date: July 08, 2021

Drill Type: HORIZONTAL HOLE

Well Name: SWARTZENDRUBER 3R-27-22XHM

Purchaser/Measurer: ENABLE MIDSTREAM

Location: CUSTER 34 14N 14W
SE NW NE NE
335 FNL 935 FEL of 1/4 SEC
Latitude: 35.652078 Longitude: -98.670661
Derrick Elevation: 1742 Ground Elevation: 1712

Multinomial:

Sec. 34 (SL): -0-
Sec. 27: 50.19% 227301 I
Sec. 22: 49.81% 227301A I

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 268870
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-8870

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
720422

Increased Density
Order No
717305
720380

SA:
717891 (Sec. 22)
717643 (Sec. 27)

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1516		681	SURFACE
INTERMEDIATE	9.63	40	P-110	11380		1288	3044
PRODUCTION	5 1/2	23	P-110	24842		3416	14466

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 24922

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

7/21/21

359MSSP

9000

6/24/21

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

**1002A
Addendum**

API No.: 35071249250000

Completion Report

Spud Date: April 03, 2021

OTC Prod. Unit No.: 071-227275-0-0000 ✓

Drilling Finished Date: April 09, 2021

A: 227275 I

1st Prod Date: June 24, 2021

Completion Date: June 24, 2021

Drill Type: STRAIGHT HOLE

Min Gas Allowable: Yes

Well Name: OTTO 1-19

Purchaser/Measurer: MUSTANG

Location: KAY 19 27N 2E
NW SE NE SE
1960 FSL 400 FEL of 1/4 SEC
Latitude: 36.801928 Longitude: -97.122311
Derrick Elevation: 1087 Ground Elevation: 1075

First Sales Date: 06/24/2021

Operator: TRUEVINE OPERATING LLC 22516
PO BOX 1422
18726 COUNTY ROAD 3560
ADA, OK 74821-1422

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
There are no Location Exception records to display.	

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	8 5/8	24#	J-55	294	500	210	SURFACE
PRODUCTION	5 1/2	15.50#	J-55	3871		120	801

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 4265

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Rec'd. 7/19/21
September 28, 2021

6/24/21

404RDFK

675

9/1/21

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

**1002A
Addendum**

API No.: 35019263600000

Completion Report

Spud Date: January 28, 2020

OTC Prod. Unit No.: 019-227196-0-0000

Drilling Finished Date: April 06, 2020

1st Prod Date: April 27, 2021

Completion Date: April 22, 2021

Drill Type: HORIZONTAL HOLE

Well Name: HIGH LINE 1-11-2XHW

Purchaser/Measurer: ENABLE MIDSTREAM

Location: CARTER 14 2S 3W
SE NE NW NW
550 FNL 1315 FWL of 1/4 SEC
Latitude: 34.389143 Longitude: -97.487767
Derrick Elevation: 989 Ground Elevation: 964

First Sales Date: 05/09/2021

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 268870
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-8870

Multinut:

Sec. 14 (SL): - 0 -

Sec. 11: 50.31% 227196 I

Sec. 2: 49.69% 227196A I

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
718782

Increased Density
Order No
There are no Increased Density records to display.

MUFO 719809

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1504		699	SURFACE
INTERMEDIATE	12 1/4	40	P-110	8724		1133	1873
PRODUCTION	6 3/4	18	P-110	20815		1005	7890

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	8.75	0	0	2099	0	163	8508	10607

Total Depth: 20815

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Rec'd 8/9/21
October 01, 2021

5/9/21

319 WDFD

335

6/28/21

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

1002A
Addendum

API No.: 35051248080000
OTC Prod. Unit No.: 051-227264-0-0000

Completion Report

Spud Date: February 07, 2021
Drilling Finished Date: March 11, 2021
1st Prod Date: June 28, 2021
Completion Date: May 17, 2021

Drill Type: **HORIZONTAL HOLE**

Well Name: LAMBAKIS 3-11-2XHW

Purchaser/Measurer: ENABLE MIDSTREAM

Location: GRADY 14 3N 5W
SW NE NW NW
370 FNL 885 FWL of 1/4 SEC
Latitude: 34.738434 Longitude: -97.700359
Derrick Elevation: 1205 Ground Elevation: 1180

First Sales Date: 06/28/2021

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 268870
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-8870

Multifruit:

Sec. 14 (54): -0-
Sec. 11: 50.10% 227264 I
Sec. 2: 49.90% 227264A I

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
720857	

Increased Density	
Order No	
715161	
715159	

MUFO: 720860
SA (Sec. 11): 715160
SA (Sec. 2): 715158

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1517		680	SURFACE
INTERMEDIATE	9.63	40	P-110	12796		1465	9796
PRODUCTION	5 1/2	23	P-110	25367		2185	9954

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 25367

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

7/24/21
October 01, 2021

6/30/21 319WDFD 5537

6/28/21

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

1002A
Addendum

API No.: 35051248090000

Completion Report

Spud Date: December 29, 2020

OTC Prod. Unit No.: ~~051-227262-0-0000~~

Drilling Finished Date: February 24, 2021

051-227267

1st Prod Date: June 28, 2021

Completion Date: May 15, 2021

Drill Type: HORIZONTAL HOLE

Well Name: LAMBAKIS 5-11-2XHW

Purchaser/Measurer: ENABLE MIDSTREAM

Location: GRADY 14 3N 5W
SE NW NW NE
350 FNL 2260 FEL of 1/4 SEC
Latitude: 34.738478 Longitude: -97.693304
Derrick Elevation: 1247 Ground Elevation: 1217

Multizone:

Sec. 14 (SL): -0-
Sec. 11: 49.85% 227267 I
Sec. 2: 50.15% 227267A I

First Sales Date: 06/28/2021

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 268870
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-8870

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	720858		715161	
	Commingled			715159	

MUFO: 720861
SA (Sec. 14): 715160
SA (Sec. 2): 715159

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1518		681	SURFACE
INTERMEDIATE	9 6/3	40	P-110	12873		1460	9754
PRODUCTION	5 1/2	23	P-110	25365		2388	5840

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 25365

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

7/2/21
October 01, 2021

6/3/21 319 WDFD

4348