

Oklahoma Corporation Commission  
 Oil & Gas Conservation Division  
 Post Office Box 52000  
 Oklahoma City, Oklahoma 73152-2000  
 Rule 165: 10-3-25

Form 1002A

API No.: 35039225920000

**Completion Report**

Spud Date: April 06, 2021

OTC Prod. Unit No.: 039-227302-0-0000

Drilling Finished Date: May 08, 2021

1st Prod Date: July 13, 2021

Completion Date: June 25, 2021

**Drill Type: HORIZONTAL HOLE**

Well Name: SWARTZENDRUBER 2-22-15XHM

Purchaser/Measurer: ENABLE MIDSTREAM

Location: CUSTER 27 14N 14W  
 NW NE NW NW  
 270 FNL 755 FWL of 1/4 SEC  
 Latitude: 35.666845 Longitude: -98.682622  
 Derrick Elevation: 1749 Ground Elevation: 1719

First Sales Date: 7/13/2021

Operator: CONTINENTAL RESOURCES INC 3186  
 PO BOX 268870  
 20 N BROADWAY AVE  
 OKLAHOMA CITY, OK 73126-8870

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
720421	

Increased Density	
Order No	
717303	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1523		820	SURFACE
INTERMEDIATE	9.63	40	P-110	11236		1165	10099
PRODUCTION	5 1/2	23	P-110	24617		2225	16899

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 24617**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 21, 2021	MISSISSIPPIAN			29631		3058	FLOWING	5771	34/64	

**Completion and Test Data by Producing Formation**

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: GAS

**Spacing Orders**

Order No	Unit Size
99558	640
668058	640
720423	MULTIUNIT

**Perforated Intervals**

From	To
14599	19464
19501	24594

**Acid Volumes**

There are no Acid Volume records to display.

**Fracture Treatments**

532,158 BARRELS FLUID & 15,163,739 POUNDS OF SAND

Formation	Top
MISSISSIPPIAN MD	14599
MISSISSIPPIAN TVD	14228

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

There are no Other Remarks.

**Lateral Holes**

Sec: 15 TWP: 14N RGE: 14W County: CUSTER

NW NE NW NW

163 FNL 950 FWL of 1/4 SEC

Depth of Deviation: 13835 Radius of Turn: 645 Direction: 358 Total Length: 10137

Measured Total Depth: 24617 True Vertical Depth: 13839 End Pt. Location From Release, Unit or Property Line: 163

**FOR COMMISSION USE ONLY**

1146730

Status: Accepted

API No.: 35039225920000

**Completion Report**

Spud Date: April 06, 2021

OTC Prod. Unit No.: 039-227302-0-0000

Drilling Finished Date: May 08, 2021

1st Prod Date: July 13, 2021

Completion Date: June 25, 2021

**Drill Type: HORIZONTAL HOLE**

Well Name: SWARTZENDRUBER 2-22-15XHM

Purchaser/Measurer: ENABLE MIDSTREAM

Location: CUSTER 27 14N 14W  
 NW NE NW NW  
 270 FNL 755 FWL of 1/4 SEC  
 Latitude: 35.666845 Longitude: -98.682622  
 Derrick Elevation: 1749 Ground Elevation: 1719

*Multinuit:*

*Sec. 27 (54): -0-*

*Sec. 22: 48.97% 227302 I*

*Sec. 15: 51.03% 227302A I*

First Sales Date: 7/13/2021

Operator: CONTINENTAL RESOURCES INC 3186  
 PO BOX 268870  
 20 N BROADWAY AVE  
 OKLAHOMA CITY, OK 73126-8870

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	720421		717303	
	Commingled				

*MUFO: 720423*  
*SA (Sec. 15): 717290*

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1523		820	SURFACE
INTERMEDIATE	9.63	40	P-110	11236		1165	10099
PRODUCTION	5 1/2	23	P-110	24617		2225	16899

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 24617**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

*7/29/21*  
 September 28, 2021

*7/21/21*

*359MSSP*

*5771*