

API NUMBER: 087 22321

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 10/01/2021

Expiration Date: 04/01/2023

Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Section: 03 Township: 5N Range: 4W County: MCCLAIN

SPOT LOCATION: ☐ SW ☐ NW ☐ NE ☐ SE FEET FROM QUARTER: FROM SOUTH FROM EAST
SECTION LINES: 2290 1059

Lease Name: CHOATE Well No: 0504 03-10-2MXH Well will be 1059 feet from nearest unit or lease boundary.

Operator Name: CPRP SERVICES LLC Telephone: 4059223616 OTC/OCC Number: 24506 0

CPRP SERVICES LLC
123 NW 8TH ST
OKLAHOMA CITY, OK 73102-5804

DEBORAH FOSTER
4212 UPPER LAKE DRIVE
NORMAN OK 73072

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	10675

Spacing Orders: 671208
656736

Location Exception Orders: No Exceptions

Increased Density Orders: No Density

Pending CD Numbers: 202101557
202101558
202101561

Working interest owners' notified: ***

Special Orders: No Special

Total Depth: 20500

Ground Elevation: 1129

Surface Casing: 3500

Depth to base of Treatable Water-Bearing FM: 230

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 21-37829

H. (Other)

SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1						
Section: 10	Township: 5N	Range: 4W	Meridian: IM	Total Length: 7667		
County: MCCLAIN				Measured Total Depth: 20500		
Spot Location of End Point: SW	SE	SW	SE	True Vertical Depth: 10675		
Feet From: SOUTH	1/4 Section Line: 100			End Point Location from		
Feet From: EAST	1/4 Section Line: 1700			Lease, Unit, or Property Line: 100		

NOTES:


Category	Description
DEEP SURFACE CASING	[9/20/2021 - GC2] - APPROVED; (1) NOTIFYING OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING (2) DV TOOL TO BE SET AT 100' BELOW BTW (3) COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY.
HYDRAULIC FRACTURING	[9/20/2021 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[9/20/2021 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - CRINER CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202101557	[9/30/2021 - GC2] - (E.O.) 3 & 10-5N-4W EST MULTIUNIT HORIZONTAL WELL X671208 MSSP, OTHER 3-5N-4W X656736 MSSP, OTHER 10-5N-4W 33% 3-5N-4W 67% 10-5N-4W CASILLAS PETROLEUM RESOURCES PARTNERS, LLC REC. 9-21-2021 (HUBER)
PENDING CD - 202101558	[9/30/2021 - GC2] - (E.O.) 3 & 10-5N-4W X671208 MSSP, OTHER 3-5N-4W X656736 MSSP, OTHER 10-5N-4W COMPL. INT. (3-5N-4W) NCT. 2480' FNL, NCT 0' FSL, NCT 1320' FEL COMPL. INT. (10-5N-4W) NCT 0 FNL, NCT 150' FSL, NCT 1320' FEL CASILLAS PETROLEUM RESOURCE PARTNERS, LLC REC. 9-21-2021 (HUBER)
PENDING CD - 202101561	[9/30/2021 - GC2] - (E.O.) 3-5N-4W X671208 MSSP 1 WELL CASILLAS PETROLEUM RESOURCE PARTNERS, LLC REC. 9-21-2021 (HUBER)
SPACING - 656736	[9/30/2021 - GC2] - (640)(HOR) 10-5N-4W VAC OTHERS VAC 4578865 SCMR EXT OTHER EST MSSP COMPL. INT. NCT 660' FUB
SPACING - 671208	[9/30/2021 - GC2] - (640)(HOR) 3-5N-4W VAC OTHERS VAC 250713 SCMR, OTHER NE4 & S2 EST MSSP, OTHERS COMPL. INT. NCT 660' FUB (COEXIST SP ORDER OTHERS)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

087 22321 CHOATE 0504 03-10-2MXH

CHOATE 0504 03-10-2MXH
CPRP SERVICES, LLC.
SECTION 3, TOWNSHIP 5N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

	SECTION LINE
	TOWNSHIP LINE
	QUARTER SECTION LINE
	16TH LINE
	PROPOSED WELL BORE
	ABANDONED WELL
	EXISTING WELL




2290' FSL & 1059' FEL
NAD-27
X= 2118893
Y= 582780
LAT.: 34°56'02.8" N
LONG.: 97°36'12.0" W
LAT.: 34.934110° N
LONG.: 97.603337° W
ELEV.: 1129' (NGVD29)
NAD-83
X= 2087297
Y= 582822
LAT.: 34°56'03.1" N
LONG.: 97°36'13.1" W
LAT.: 34.934181° N
LONG.: 97.603648° W
ELEV.: 1129' (NAVD88)

1700' FEL-2531' FSL
(2100' FEL-2800' FNL)
NAD-27
X= 2118251
Y= 583020
LAT.: 34°56'05.2"N
LONG.: 97°36'19.7" W
LAT.: 34.934775° N
LONG.: 97.6054475° W
NAD-83
X= 2086655
Y= 583062
LAT.: 34°56'05.4" N
LONG.: 97°36'20.8" W
LAT.: 34.934848° N
LONG.: 97.605787° W

165' FSL & 1700' FEL-SEC. 10
NAD-27
X= 2118274
Y= 575353
LAT.: 34°54'49.4" N
LONG.: 97°36'19.8" W
LAT.: 34.913710° N
LONG.: 97.605499° W
NAD-83
X= 2086678
Y= 575395
LAT.: 34°54'49.6" N
LONG.: 97°36'20.9" W
LAT.: 34.913781° N
LONG.: 97.605810° W

100' FSL & 1700' FEL
NAD-27
X= 2118274
Y= 575288
LAT.: 34°54'48.7" N
LONG.: 97°36'19.8" W
LAT.: 34°91'35.31" N
LONG.: 97.605500° W
NAD-83
X= 2086678
Y= 575330
LAT.: 34°54'49.0" N
LONG.: 97°36'20.9" W
LAT.: 34.913603° N
LONG.: 97.605811° W



13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM


Dan W. Rogers, P.L.S. No. 1200
Authorized Agent of Topographic Land Surveyors

SECTION 3 TWP 5N RGE 4W MERIDIAN 1.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 2290' FSL & 1059' FEL

CHOATE 0504 03-10-2MXH	REVISION:	
	INT	DATE
	SEO	8-19-2021
DATE: 08/09/2021	EAH	09/14/2021
FILE:LO_CHOATE_0504_03-10-2MXH_REV4		
DRAWN BY: KEU		
SHEET : 1 OF 2		

1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION. IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY COPER SERVICES, LLC. ONLY THIS EASEMENT/LOCATION, WHETHER VISIBLE ON THE DAY OF THIS SURVEY, WITHIN ADOJUNION OF THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAN AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.

CHOATE 0504 03-10-2MXH
CPRP SERVICES, LLC.
SECTION 3, TOWNSHIP 5N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA


SECTION LINE
 TOWNSHIP LINE
 QUARTER SECTION LINE
 16TH LINE
 PROPOSED WELL BORE
 ABANDONED WELL
 EXISTING WELL



GRID
OK SOUTH
US FEET

SCALE: 1" = 2000'

0' 1000' 2000'



Dan W. Rogers
Dan W. Rogers, P.L.S. No. 1200

Dan W. Rogers, P.L.S. No. 1200
Authorized Agent of Topographic Land Surveyors

LEASE NAME & WELL NO. CHOATE 0504 03-10-2MXH

SECTION 3 TWP 5N RGE 4W MERIDIAN 1.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 2290' FSL & 1059' FEL




TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

CHOATE 0504 03-10-2MXH	REVISION:	
	INT	DATE
	SEO	8-19-2021
DATE: 08/09/2021	EAH	09/14/2021
FILE: I:\O_CHOATE_0504_03-10-2MXH_REV4		
DRAWN BY: KEU		
SHEET : 2 OF 2		

1. ORIGINAL DOCUMENT SIZE: 8.5" x 14"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY CPRP SERVICES, LLC. ONLY THE EASEMENT/LOCATION THAT WERE ON THE VISIBLE, ON THE DATE OF THIS SURVEY, WHILE DETERMINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAN AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. CHOATE 0504 03-10-2MXH

SECTION 3 TWP 5N RGE 4W MERIDIAN 1M

COUNTY MCCLAIN STATE OKLAHOMA

DESCRIPTION 2290' FSL & 1059' FEL

ELEV.: 1129' (NGVD29)

ELEV.: 1129' (NAVD88)

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.




SCALE: 1" = 2000'
0' 1000' 2000'



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO. CHOATE 0504 03-10-2MXH

SECTION 3 TWP 5N RGE 4W MERIDIAN I.M.

COUNTY MCCLAIN STATE OKLAHOMA


DESCRIPTION 2290' FSL & 1059' FEL

DISTANCE & DIRECTION

FROM THE INTERSECTION OF STATE HWY 76 AND 100TH STREET IN
LINDSAY OKLAHOMA, TAKE HWY 76 NORTH FOR 5.4 MILES. GO
EAST ON 150TH STREET FOR 1.2 MILES TO THE SOUTHEAST
CORNER OF SEC 3-T5N-R4W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM