

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35011242620000

Completion Report

Spud Date: May 18, 2021

OTC Prod. Unit No.: 011-227400-0-0000

Drilling Finished Date: June 18, 2021

1st Prod Date: August 23, 2021

Completion Date: August 20, 2021

Drill Type: HORIZONTAL HOLE

Well Name: EDGEMERE FARMS 3-25-36XHM

Purchaser/Measurer: ENABLE MIDSTREAM PARTNERS

Location: BLAINE 24 15N 13W
SE SW SE SW
315 FSL 1732 FWL of 1/4 SEC
Latitude: 35.755014 Longitude: -98.537212
Derrick Elevation: 1834 Ground Elevation: 1804

First Sales Date: 8/23/2021

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 268870
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-8870

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	721352		720013	
	Commingled			719995	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	107	K-55	60			
SURFACE	13.38	55	J-55	1497		920	SURFACE
INTERMEDIATE	9.63	40	P-110	10198		1035	997
PRODUCTION	5.5	23	P-100ICY	22769		2020	7331

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 22770

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Aug 24, 2021	MISSISSIPPIAN	484	59	14964	30936	1309	FLOWING	3500	24	

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code:

Class: GAS

Spacing Orders

Order No	Unit Size
652296	640
652297	640
721318	MULTIUNIT

Perforated Intervals

From	To
12534	17615
17655	22708

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

521,583 BARRELS FLUID
19,552,932 POUNDS OF SAND

Formation	Top
MISSISSIPPIAN	12210

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

There are no Other Remarks.

Lateral Holes

Sec: 36 TWP: 15N RGE: 13W County: BLAINE

SE SW SE SW

166 FSL 1810 FWL of 1/4 SEC

Depth of Deviation: 11770 Radius of Turn: 654 Direction: 186 Total Length: 10236

Measured Total Depth: 22770 True Vertical Depth: 12393 End Pt. Location From Release, Unit or Property Line: 166

FOR COMMISSION USE ONLY

1146993

Status: Accepted

12/1/21

**1002A
 Addendum**

API No.: 35011242620000

Completion Report

Spud Date: May 18, 2021

OTC Prod. Unit No.: 011-227400-0-0000

Drilling Finished Date: June 18, 2021

1st Prod Date: ~~August 23, 2021~~

Completion Date: August 20, 2021

Drill Type: **HORIZONTAL HOLE**

Well Name: EDGEMERE FARMS 3-25-36XHM

Purchaser/Measurer: ENABLE MIDSTREAM PARTNERS

Location: BLAINE 24 15N 13W
 SE SW SE SW
 315 FSL 1732 FWL of 1/4 SEC
 Latitude: 35.755014 Longitude: -98.537212
 Derrick Elevation: 1834 Ground Elevation: 1804

First Sales Date: 8/23/2021 7/23/21

Operator: CONTINENTAL RESOURCES INC 3186
 PO BOX 268870
 20 N BROADWAY AVE
 OKLAHOMA CITY, OK 73126-8870

Multient:

Sec. 24(s): -0-

Sec. 25: 50.28% 227400 I

Sec. 36: 49.72% 227400A I

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
721352

Increased Density
Order No
720013
719995

MUFO: 721318
 SA (Sec. 25): 719994
 SA (Sec. 36): 720014

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	107	K-55	60			
SURFACE	13.38	55	J-55	1497		920	SURFACE
INTERMEDIATE	9.63	40	P-110	10198		1035	997
PRODUCTION	5.5	23	P-100ICY	22769		2020	7331

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 22770

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Rec'd 11/23/21

Initial Test Data

December 09, 2021

8/24/21

359 MSSP

3500