

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35073267700000

Completion Report

Spud Date: August 04, 2021

OTC Prod. Unit No.: 073-227659-0-0000

Drilling Finished Date: November 07, 2021

1st Prod Date: February 01, 2022

Completion Date: February 01, 2022

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: CHURCH 1606 3H-17X

Purchaser/Measurer: MARKWEST

Location: KINGFISHER 17 16N 6W
 SW NE NE NW
 385 FNL 2190 FWL of 1/4 SEC
 Latitude: 35.870043 Longitude: -97.862402
 Derrick Elevation: 1160 Ground Elevation: 1129

First Sales Date: 2/1/2022

Operator: OVINTIV USA INC 21713

4 WATERWAY SQUARE PLACE, STE 100
 THE WOODLANDS, TX 77380-3197

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
725802	

Increased Density	
Order No	
719796	
719860	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.5	J-55	496		345	SURFACE
PRODUCTION	5 1/2	20	P110	17936		1680	93

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 18220

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Feb 16, 2022	ALL ZONES PRODUCING	503	42	1283	2552	1531	FLOWING	1500	32	1183

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN (LESS CHESTER)

Code: 359MSNLC

Class: OIL

Spacing Orders

Order No	Unit Size
643931	640
725801	MULTIUNIT

Perforated Intervals

From	To
7944	13087

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

TOTAL FRAC FLUID - 464,122 BARRELS
TOTAL PROPPANT - 20,412,029 POUNDS

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
588584	640
725801	MULTIUNIT

Perforated Intervals

From	To
13087	17875

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

FRACTURE TREATMENT WITH MISSISSIPPIAN (LESS CHESTER)

Formation	Top
MISSISSIPPIAN	7550

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC -THE ORDER 725991 IS AN EXCEPTION TO THE RULE 165:10-3-28

Lateral Holes

Sec: 20 TWP: 16N RGE: 6W County: KINGFISHER

SE SE SW SE

152 FSL 1340 FEL of 1/4 SEC

Depth of Deviation: 7233 Radius of Turn: 477 Direction: 179 Total Length: 9931

Measured Total Depth: 18220 True Vertical Depth: 7476 End Pt. Location From Release, Unit or Property Line: 152

FOR COMMISSION USE ONLY

1147824

Status: Accepted