

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35073267510000

Completion Report

Spud Date: June 14, 2021

OTC Prod. Unit No.: 073-227711-0-0000

Drilling Finished Date: September 24, 2021

1st Prod Date: February 16, 2022

Completion Date: February 16, 2022

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: RPM 1507 3H-16X

Purchaser/Measurer: MARK WEST

Location: KINGFISHER 9 15N 7W
 SE SW SW SE
 323 FSL 2256 FEL of 1/4 SEC
 Latitude: 35.785028 Longitude: -97.948313
 Derrick Elevation: 1169 Ground Elevation: 1139

First Sales Date: 02/16/2022

Operator: OVINTIV MID-CONTINENT INC. 20944

4 WATERWAY SQUARE PL STE 100
 THE WOODLANDS, TX 77380-2764

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
726046	

Increased Density	
Order No	
692807	
709765 EXT	
718528 EXT	
692808	
709766 EXT	
718529 EXT	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.5	J-55	496		345	SURFACE
INTERMEDIATE	8 5/8	32	HCL-80	7322		1160	SURFACE
PRODUCTION	5 1/2	20	P-110	18730		1740	221

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 18760

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Feb 22, 2022	ALL ZONES PRODUCING	672	46	1092	1625	2586	FLOWING	2100	128	1792

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
594075	640
726045	MULTIUNIT

Perforated Intervals

From	To
8427	13450

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

432,063 BARRELS TOTAL FRAC FLUIDS
19,065,280 POUNDS TOTAL PROPPANTS

Formation Name: MISSISSIPPI SOLID

Code: 351MSSSD

Class: OIL

Spacing Orders

Order No	Unit Size
636764	640
666387	640 NPT
726045	MULTIUNIT

Perforated Intervals

From	To
13540	18662

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

FRAC'D WITH MISSISSIPPIAN

Formation Name: ALL ZONES PRODUCING

Code: 999ALZP

Class: OIL

Formation	Top
MISSISSIPPIAN	8020

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THE ORDER 726047 IS AN EXCEPTION TO THE RULE 165:10-3-28

Lateral Holes

Sec: 21 TWP: 15N RGE: 2W County: KINGFISHER

SW SW SW SE

89 FSL 2638 FWL of 1/4 SEC

Depth of Deviation: 7633 Radius of Turn: 477 Direction: 180 Total Length: 10235

Measured Total Depth: 18760 True Vertical Depth: 8360 End Pt. Location From Release, Unit or Property Line: 89

FOR COMMISSION USE ONLY

1148049

Status: Accepted