

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35121248800000

Completion Report

Spud Date: October 06, 2021

OTC Prod. Unit No.: 35-121-227647-0-0000

Drilling Finished Date: November 22, 2021

1st Prod Date: January 29, 2022

Completion Date: December 29, 2021

Drill Type: HORIZONTAL HOLE

Well Name: CLIFTON 2-21/28H

Purchaser/Measurer: NEXTERA ENERGY POWER MARKET

Location: PITTSBURG 16 7N 13E
NW NW NW SE
2355 FSL 2385 FEL of 1/4 SEC
Latitude: 35.079219 Longitude: -95.938482
Derrick Elevation: 726 Ground Elevation: 701

First Sales Date: 1/29/2022

Operator: TRINITY OPERATING USG LLC 23879

1717 S BOULDER AVE STE 201
TULSA, OK 74119-4842

Completion Type		Location Exception		Increased Density	
	Single Zone	Order No		Order No	
X	Multiple Zone	726666		722238	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	48	H-40	370		250	SURFACE
INTERMEDIATE	9.925	36	J-55	5194		860	1500
PRODUCTION	5.5	20	P-110	17867		1985	13132

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 17885

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Feb 08, 2022	ALL ZONES PRODUCING			15490		4914	FLOWING	1000	FULL	

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: GAS

Spacing Orders

Order No	Unit Size
716072	1280

Perforated Intervals

From	To
7550	10226
10426	11728
11953	14526
14611	17701

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

525,478 BARRELS SLICKWATER

9,456,218 POUNDS SAND

Formation Name: SYLVAN

Code: 203SLVN

Class: GAS

Spacing Orders

Order No	Unit Size
716072	1280

Perforated Intervals

From	To
10226	10426
11728	11953

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

TREATED WITH WOODFORD

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: GAS

Spacing Orders

Order No	Unit Size
716072	1280

Perforated Intervals

From	To
14526	14611

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

TREATED WITH WOODFORD

Formation	Top
WOODFORD	7550
SYLVAN	10226
MISSISSIPPIAN	14526

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

There are no Other Remarks.

Lateral Holes

Sec: 28 TWP: 7N RGE: 13E County: PITTSBURG

SW SW SE SE

80 FSL 1129 FEL of 1/4 SEC

Depth of Deviation: 6872 Radius of Turn: 862 Direction: 177 Total Length: 10151

Measured Total Depth: 17885 True Vertical Depth: 6109 End Pt. Location From Release, Unit or Property Line: 80

FOR COMMISSION USE ONLY

1149016

Status: Accepted