

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35011242910000

**Completion Report**

Spud Date: January 18, 2022

OTC Prod. Unit No.: 011-230871-0-0000

Drilling Finished Date: April 08, 2022

1st Prod Date: October 23, 2022

Completion Date: October 23, 2022

**Drill Type: HORIZONTAL HOLE**

Min Gas Allowable: Yes

Well Name: DAKOTA CAROL 27\_34-15N-10W 2HX

Purchaser/Measurer: ENLINK

Location: BLAINE 27 15N 10W  
SE NW NW NE  
388 FNL 2099 FEL of 1/4 SEC  
Latitude: 35.7532152 Longitude: -98.24974783  
Derrick Elevation: 1522 Ground Elevation: 1496

First Sales Date: 10/23/2022

Operator: DEVON ENERGY PRODUCTION CO LP 20751

333 W SHERIDAN AVE  
OKLAHOMA CITY, OK 73102-5015

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
730198	

Increased Density	
Order No	
721252	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8"	54.5#	J-55	619	1500	360	SURFACE
INTERMEDIATE	8 5/8"	32#	P-110	9667	3250	600	5280
PRODUCTION	5 1/2"	24.5#	P-110	21435	12500	1805	3808

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 21435**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 05, 2022	ALL ZONES PRODUCING	795	50.8	5690	7155	2660	FLOWING	1205	36/64	1930

**Completion and Test Data by Producing Formation**

Formation Name: MISSISSIPPI SOLID

Code: 351MSSSD

Class: OIL

**Spacing Orders**

Order No	Unit Size
646548	640
730194	MULTIUNIT

**Perforated Intervals**

From	To
11350	16193

**Acid Volumes**

There are no Acid Volume records to display.

**Fracture Treatments**

16,128,722 GALLONS FRAC FLUID

32,843,346 POUNDS PROPPANT

Formation Name: MISSISSIPPIAN

Code: 359 MSSP

Class: OIL

**Spacing Orders**

Order No	Unit Size
641407	640
730194	MULTIUNIT

**Perforated Intervals**

From	To
16193	21268

**Acid Volumes**

There are no Acid Volume records to display.

**Fracture Treatments**

FRAC'D WITH MISSISSIPPI SOLID

Formation	Top
MISSISSIPPI SOLID	9585

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

There are no Other Remarks.

**Lateral Holes**

Sec: 34 TWP: 15N RGE: 10W County: BLAINE

SE SE SW SW

54 FSL 1127 FWL of 1/4 SEC

Depth of Deviation: 10449 Radius of Turn: 382 Direction: 179 Total Length: 10604

Measured Total Depth: 21435 True Vertical Depth: 11027 End Pt. Location From Release, Unit or Property Line: 54

**FOR COMMISSION USE ONLY**

1148932

Status: Accepted