

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35011242990000

Completion Report

Spud Date: April 09, 2022

OTC Prod. Unit No.: 011-230352-0-0000

Drilling Finished Date: June 08, 2022

1st Prod Date: November 17, 2022

Completion Date: November 17, 2022

Drill Type: HORIZONTAL HOLE

Well Name: CHEETAH 29_32-15N-10W 5HX

Purchaser/Measurer: ENLINK

Location: BLAINE 20 15N 10W
 SW SW SW SE
 263 FSL 2406 FEL of 1/4 SEC
 Latitude: 35.75496253 Longitude: -98.28632836
 Derrick Elevation: 1546 Ground Elevation: 1520

First Sales Date: 11/17/2022

Operator: DEVON ENERGY PRODUCTION CO LP 20751

333 W SHERIDAN AVE
 OKLAHOMA CITY, OK 73102-5015

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
730961	

Increased Density	
Order No	
714721	
714722	
720511	
720512	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8"	54.5#	J-55	620	1500	460	SURFACE
INTERMEDIATE	8 5/8"	32#	P-110	9687	3304	645	4951
PRODUCTION	5 1/2"	24.5#	P-110	21790	12500	1970	3913

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21800

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 14, 2022	ALL ZONES PRODUCING	830	51.8	8140	9807	1811	FLOWING	1449	32/64	

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
592269	640
731001	MULTIUNIT

Perforated Intervals

From	To
11440	16548
16548	21608

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

16,863,756 GALS FLUID

32,930,890 # PROPPANT

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
664379	640
731001	MULTIUNIT

Perforated Intervals

From	To
There are no Perf. Intervals records to display.	

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

SAME AS MISSISSIPPI LIME

Formation	Top
MISSISSIPPI LIME	10561
MISSISSIPPIAN	10051

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

There are no Other Remarks.

Lateral Holes

Sec: 32 TWP: 15N RGE: 10W County: BLAINE

SW SW SE SW

56 FSL 1501 FWL of 1/4 SEC

Depth of Deviation: 10766 Radius of Turn: 361 Direction: 187 Total Length: 10673

Measured Total Depth: 21800 True Vertical Depth: 11442 End Pt. Location From Release, Unit or Property Line: 56

FOR COMMISSION USE ONLY

1149200

Status: Accepted